





PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs.
3J08S	—	0.79	1S	5/8	—	7/16	1	—	9/16	—	0.11
3J10S	—	1.00	1S	7/8	—	7/16	1	—	9/16	—	0.15
3J11S	—	1.10	1S	1	—	7/16	1	—	9/16	—	0.19
3J13S	—	1.26	1S	1 1/8	—	7/16	1	—	9/16	—	0.25
3J14S	—	1.42	1S	1 1/4	—	7/16	1	—	9/16	—	0.34
3J16S	—	1.58	1S	1 3/8	—	7/16	1	—	9/16	—	0.40
3J18S	—	1.77	1S	1 8/16	—	7/16	1	—	9/16	—	0.53
3J20S	—	2.00	1S	1 3/4	—	7/16	1	—	9/16	—	0.65
3J22S	—	2.24	1S	2	—	7/16	1	—	9/16	—	0.84
3J25TB	C1108	2.50	1	2 3/8	—	7/16	7/8	—	7/16	—	0.63
3J28TB	C1108	2.80	1	2 3/8	—	7/16	7/8	—	7/16	—	0.88
3J30TB	C1108	3.00	1	2 3/8	—	7/16	7/8	—	7/16	—	0.90
3J31TB	C1108	3.15	1	2 3/8	—	7/16	7/8	—	7/16	—	0.95
3J33TB	C1108	3.35	1	2 3/8	—	7/16	7/8	—	7/16	—	1.07
3J35TB	C1108	3.55	1	2 3/8	—	7/16	7/8	—	7/16	—	1.18
3J37TB	C1108	3.75	1	2 3/8	—	7/16	7/8	—	7/16	—	1.32
3J40TB	C1108	4.00	1	2 3/8	—	7/16	7/8	—	7/16	—	1.43
3J45TB	C1310	4.50	1	2 1/8	—	7/16	1	—	9/16	—	2.02
3J50TB	C1310	5.00	1	2 1/8	—	7/16	1	—	9/16	—	2.41
3J55TB	C1310	5.50	1	2 1/8	—	7/16	1	—	9/16	—	2.94
3J60TB	C1610	6.00	1	3 3/8	—	7/16	1	—	9/16	—	3.66
3J80TB	C2012	8.00	1	4 1/8	—	7/16	1 1/4	—	13/16	—	6.32

Bushing	Stock Bores																							
	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16	7/8	15/16	1	1 1/8	1 1/16	1 1/4	1 3/8	1 1/2	1 9/16	1 5/8	1 3/4	1 7/8	2			
1108	●	●	●	●	●	●	●	●	●	●	●	△												
1310				●	●	●	●	●	●	●	●	●	●	●	●									
1610				●	●	●	●	●	●	●	●	●	●	●	●	●	●	△						
2012						●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		



PART NO.	Bushing	OD	TYPE	N	J	F	L	E	S1	S2	wt Lbs.
4J08S	—	0.79	1S	5/8	—	1/2	1	—	1/2	—	0.01
4J10S	—	1.00	1S	7/8	—	1/2	1	—	1/2	—	0.15
4J11S	—	1.10	1S	1	—	1/2	1	—	1/2	—	0.19
4J13S	—	1.26	1S	1 1/8	—	1/2	1	—	1/2	—	0.25
4J14S	—	1.42	1S	1 1/4	—	1/2	1	—	1/2	—	0.34
4J16S	—	1.58	1S	1 3/8	—	1/2	1	—	1/2	—	0.40
4J18S	—	1.77	1S	1 9/16	—	1/2	1	—	1/2	—	0.53
4J20S	—	2.00	1S	1 3/4	—	1/2	1	—	1/2	—	0.67
4J22S	—	2.24	1S	2	—	1/2	1	—	1/2	—	0.84
4J25TB	C1108	2.50	1	2 3/8	—	1/2	7/8	—	3/8	—	0.63
4J28TB	C1108	2.80	1	2 3/8	—	1/2	7/8	—	3/8	—	0.88
4J30TB	C1108	3.00	1	2 3/8	—	1/2	7/8	—	3/8	—	0.97
4J31TB	C1108	3.15	1	2 3/8	—	1/2	7/8	—	3/8	—	1.03
4J33TB	C1108	3.35	1	2 3/8	—	1/2	7/8	—	3/8	—	1.20
4J35TB	C1108	3.55	1	2 3/8	—	1/2	7/8	—	3/8	—	1.28
4J37TB	C1108	3.75	1	2 3/8	—	1/2	7/8	—	3/8	—	1.60
4J40TB	C1108	4.00	1	2 3/8	—	1/2	7/8	—	3/8	—	1.66
4J45TB	C1310	4.50	1	3 1/8	—	1/2	1	—	1/2	—	2.16
4J50TB	C1310	5.00	1	3 1/8	—	1/2	1	—	1/2	—	2.66
4J55TB	C1310	5.50	1	3 1/8	—	1/2	1	—	1/2	—	3.29
4J60TB	C1610	6.00	1	3 3/8	—	1/2	1	—	1/2	—	4.16
4J80TB	C2012	8.00	5A	4 1/8	7 1/4	1/2	1 1/4	5/16	3/4	—	5.53
4J106TB	C2012	10.60	5A	4 1/8	9 1/4	1/2	1 1/4	5/16	3/4	—	7.60
4J124TB	C2012	12.40	5B	4 1/8	11 1/2	1/2	1 1/4	5/16	3/4	—	9.36

Bushing	Stock Bores																			
	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16	7/8	15/16	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2	
1108	●	●	●	●	●	●	●	●	●	●	●	△								
1310				●	●	●	●	●	●	●	●	●	●	●						
1610				●	●	●	●	●	●	●	●	●	●	●	●	●	△			
2012						●	●	●	●	●	●	●	●	●	●	●	●	●	●	

M

ulti


-W

edged

Pulleys


J5

Poly-V sheaves




PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
5J08S	—	0.79	1S	5/8	—	5/8	13/8	—	3/4	—	0.17
5J10S	—	1.00	1S	7/8	—	5/8	13/8	—	3/4	—	0.19
5J11S	—	1.10	1S	1	—	5/8	13/8	—	3/4	—	0.26
5J13S	—	1.26	1S	1 1/8	—	5/8	13/8	—	3/4	—	0.30
5J14S	—	1.42	1S	1 1/4	—	5/8	13/8	—	3/4	—	0.41
5J16S	—	1.58	1S	1 3/8	—	5/8	13/8	—	3/4	—	0.49
5J18S	—	1.77	1S	1 9/16	—	5/8	13/8	—	3/4	—	0.81
5J20S	—	2.00	1S	1 3/4	—	5/8	13/8	—	3/4	—	0.87
5J22S	—	2.24	1S	2	—	5/8	13/8	—	3/4	—	1.03
5J25TB	1108	2.50	1	2 3/8	—	5/8	7/8	—	1/4	—	0.64
5J28TB	1108	2.80	1	2 3/8	—	5/8	7/8	—	1/4	—	0.92
5J30TB	1108	3.00	1	2 3/8	—	5/8	7/8	—	1/4	—	1.03
5J31TB	1108	3.15	1	2 3/8	—	5/8	7/8	—	1/4	—	1.11
5J33TB	1108	3.35	1	2 3/8	—	5/8	7/8	—	1/4	—	1.35
5J35TB	1108	3.55	1	2 3/8	—	5/8	7/8	—	1/4	—	1.44
5J37TB	1108	3.75	1	2 3/8	—	5/8	7/8	—	1/4	—	0.54
5J40TB	1108	4.00	1	2 3/8	—	5/8	7/8	—	1/4	—	1.80
5J45TB	1310	4.50	1	3 1/8	—	5/8	1	—	3/8	—	2.38
5J50TB	1310	5.00	1	3 1/8	—	5/8	1	—	3/8	—	2.97
5J55TB	1310	5.50	1	3 1/8	—	5/8	1	—	3/8	—	2.67
5J60TB	1610	6.00	1	3 3/8	—	5/8	1	—	3/8	—	4.78
5J80TB	2012	8.00	5A	4 1/8	184	5/8	1 1/4	3/8	5/8	—	5.85
5J106TB	2012	10.60	5A	4 1/8	234	5/8	1 1/4	3/8	5/8	—	8.00
5J124TB	2012	12.40	5B	4 1/8	293	5/8	1 1/4	3/8	5/8	—	9.93

Bushing	Stock Bores																			
	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16	7/8	15/16	1	1 1/8	1 1/16	1 1/4	1 3/8	1 1/2	1 9/16	1 5/8	1 3/4	2
1108	●	●	●	●	●	●	●	●	●	●	●	△								
1310				●	●	●	●	●	●	●	●	●	●	●						
1610				●	●	●	●	●	●	●	●	●	●	●	●	●	△			
2012						●	●	●	●	●	●	●	●	●	●	●	●	●	●	●




PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
6J08S	—	0.79	1S	5/8	—	3/4	13/8	—	5/8	—	0.19
6J10S	—	1.00	1S	7/8	—	3/4	13/8	—	5/8	—	0.21
6J11S	—	1.10	1S	1	—	3/4	13/8	—	5/8	—	0.28
6J13S	—	1.26	1S	1 1/8	—	3/4	13/8	—	5/8	—	0.30
6J14S	—	1.42	1S	1 1/4	—	3/4	13/8	—	5/8	—	0.41
6J16S	—	1.58	1S	1 3/8	—	3/4	13/8	—	5/8	—	0.49
6J18S	—	1.77	1S	1 9/16	—	3/4	13/8	—	5/8	—	0.64
6J20S	—	2.00	1S	1 3/4	—	3/4	13/8	—	5/8	—	0.81
6J22S	—	2.24	1S	2	—	3/4	13/8	—	5/8	—	1.05
6J25TB	1108	2.50	1	2 3/8	—	3/4	7/8	—	1/8	—	0.66
6J28TB	1108	2.80	1	2 3/8	—	3/4	7/8	—	1/8	—	0.92
6J30TB	1108	3.00	1	2 3/8	—	3/4	7/8	—	1/8	—	1.05
6J31TB	1108	3.15	1	2 3/8	—	3/4	7/8	—	1/8	—	1.20
6J33TB	1108	3.35	1	2 3/8	—	3/4	7/8	—	1/8	—	1.46
6J35TB	1108	3.55	1	2 3/8	—	3/4	7/8	—	1/8	—	1.58
6J37TB	1108	3.75	1	2 3/8	—	3/4	7/8	—	1/8	—	1.86
6J40TB	1108	4.00	1	2 3/8	—	3/4	7/8	—	1/8	—	1.99
6J45TB	1310	4.50	1	3 1/8	—	3/4	1	—	1/4	—	2.57
6J50TB	1310	5.00	1	3 1/8	—	3/4	1	—	1/4	—	3.26
6J55TB	1310	5.50	1	3 1/8	—	3/4	1	—	1/4	—	4.19
6J60TB	1610	6.00	1	3 3/8	—	3/4	1	—	1/4	—	5.35
6J80TB	2012	8.00	5A	4 1/8	7 1/4	3/4	1 1/4	3/8	1/2	—	6.04
6J106TB	2012	10.60	5A	4 1/8	9 1/4	3/4	1 1/4	3/8	1/2	—	8.26
6J124TB	2012	12.40	5B	4 1/8	11 1/2	3/4	1 1/4	3/8	1/2	—	10.02


Bushing	Stock Bores																					
	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16	7/8	15/16	1	1 1/8	1 1/16	1 1/4	1 3/8	1 1/2	1 9/16	1 5/8	1 3/4	1 7/8	2	
1108	●	●	●	●	●	●	●	●	●	●	●	△										
1310				●	●	●	●	●	●	●	●	●	●	●								
1610				●	●	●	●	●	●	●	●	●	●	●	●	●	●	△				
2012						●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	




3A




5A




1S



1




5B




5C


PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
8J08S	—	0.79	1S	5/8	—	7/8	13/8	—	1/2	—	0.05
8J10S	—	1.00	1S	7/8	—	7/8	13/8	—	1/2	—	0.06
8J11S	—	1.10	1S	1	—	7/8	13/8	—	1/2	—	0.11
8J13S	—	1.26	1S	1 1/8	—	7/8	13/8	—	1/2	—	0.13
8J14S	—	1.42	1S	1 1/4	—	7/8	13/8	—	1/2	—	0.07
8J16S	—	1.58	1S	1 3/8	—	7/8	13/8	—	1/2	—	0.22
8J18S	—	1.77	1S	1 9/16	—	7/8	13/8	—	1/2	—	0.27
8J20S	—	2.00	1S	1 3/4	—	7/8	13/8	—	1/2	—	0.34
8J22S	—	2.24	1S	2	—	7/8	13/8	—	1/2	—	0.62
8J25TB	1108	2.50	3A	—	—	7/8	7/8	—	—	—	0.86
8J28TB	1210	2.80	1	2 1/2	—	7/8	1	—	1/8	—	1.03
8J30TB	1210	3.00	1	2 3/4	—	7/8	1	—	1/8	—	1.25
8J31TB	1210	3.15	1	2 3/4	—	7/8	1	—	1/8	—	1.48
8J33TB	1210	3.35	1	3	—	7/8	1	—	1/8	—	1.50
8J35TB	1210	3.55	1	3	—	7/8	1	—	1/8	—	1.67
8J37TB	1610	3.75	1	3 3/8	—	7/8	1	—	1/8	—	1.95
8J40TB	1610	4.00	1	3 3/8	—	7/8	1	—	1/8	—	2.26
8J42TB	1610	4.20	1	3 3/8	—	7/8	1	—	1/8	—	2.78
8J44TB	1610	4.40	1	3 3/8	—	7/8	1	—	1/8	—	3.15
8J46TB	1610	4.65	1	3 3/8	—	7/8	1	—	1/8	—	3.53
8J50TB	1610	5.00	1	3 3/8	—	7/8	1	—	1/8	—	3.64
8J52TB	1610	5.20	1	3 3/8	—	7/8	1	—	1/8	—	3.85
8J55TB	1610	5.50	1	3 3/8	—	7/8	1	—	1/8	—	4.13
8J63TB	2012	6.30	1	4 1/8	—	7/8	1 1/4	—	3/8	—	4.18
8J71TB	2012	7.10	5A	4 1/8	6 1/2	7/8	1 1/4	1/2	3/8	—	4.93
8J80TB	2012	8.00	5A	4 1/8	7 1/4	7/8	1 1/4	1/2	3/8	—	5.18
8J88TB	2012	8.80	5A	4 1/8	8 1/8	7/8	1 1/4	1/2	3/8	—	5.69
8J106TB	2012	10.60	5A	4 1/8	9 1/4	7/8	1 1/4	1/2	3/8	—	6.98
8J110TB	2012	11.00	5B	4 1/8	10 3/8	7/8	1 1/4	1/2	3/8	—	11.13
8J124TB	2517	12.40	5B	4 3/4	11 1/2	7/8	1 3/4	5/8	7/8	—	12.40
8J140TB	2517	14.00	5C	4 3/4	13 3/8	7/8	1 3/4	9/16	7/8	—	12.85
8J160TB	2517	15.80	5C	4 3/4	14 1/2	7/8	1 3/4	9/16	7/8	—	13.92




PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	kg
12J13S	—	1.26	1S	1 1/8	—	1 1/4	19/16	—	5/16	—	0.13
12J14S	—	1.42	1S	1 1/4	—	1 1/4	19/16	—	5/16	—	0.19
12J16J	—	1.58	1S	1 5/8	—	1 1/4	19/16	—	5/16	—	0.22
12J18S	—	1.77	1S	1 9/16	—	1 1/4	19/16	—	5/16	—	0.28
12J20S	—	2.00	1S	1 3/4	—	1 1/4	19/16	—	5/16	—	0.36
12J22S	—	2.24	1S	2	—	1 1/4	19/16	—	5/16	—	0.46
12J25TB	1108	2.50	3B	—	1 7/8	1 1/4	7/8	—	—	3/8	0.71
12J28TB	1210	2.80	3B	—	2 1/4	1 1/4	1	—	—	1/4	0.94
12J30TB	1210	3.00	3B	—	2 3/8	1 1/4	1	—	—	1/4	1.16
12J31TB	1210	3.15	3B	—	2 1/2	1 1/4	1	—	—	1/4	1.50
12J33TB	1210	3.35	3B	—	2 3/4	1 1/4	1	—	—	1/4	1.63
12J35TB	1610	3.55	3B	—	3	1 1/4	1	—	—	1/4	1.88
12J37TB	1610	3.75	3B	—	3 1/8	1 1/4	1	—	—	1/4	2.06
12J40TB	1610	4.00	3B	—	3 3/8	1 1/4	1	—	—	1/4	2.14
12J42TB	1610	4.20	3B	—	3 1/2	1 1/4	1	—	—	1/4	2.57
12J44TB	1610	4.40	3B	—	3 3/4	1 1/4	1	—	—	1/4	2.94
12J46TB	1610	4.65	3B	—	4	1 1/4	1	—	—	1/4	3.10
12J50TB	1610	5.00	3B	—	4 1/4	1 1/4	1	—	—	1/4	3.75
12J52TB	2012	5.20	3B	—	4 1/2	1 1/4	1 1/4	—	—	—	3.96
12J55TB	2012	5.50	3B	—	5	1 1/4	1 1/4	—	—	—	4.60
12J63TB	2012	6.30	3B	—	5 9/16	1 1/4	1 1/4	—	—	—	5.14
12J71TB	2012	7.10	6A	4 1/8	6 1/2	1 1/4	1 1/4	1/2	—	—	5.61
12J80TB	2517	8.00	6A	4 3/4	7 1/4	1 1/4	1 3/4	1/2	—	—	7.58
12J88TB	2517	8.80	5A	4 3/4	8 1/8	1 1/4	1 3/4	1/2	1/2	—	8.25
12J106TB	2517	10.60	5A	4 3/4	9 1/4	1 1/4	1 3/4	1/2	1/2	—	8.56
12J110TB	2517	11.00	5B	4 3/4	10 3/8	1 1/4	1 3/4	1/2	1/2	—	10.06
12J124TB	2517	12.40	5B	4 3/4	11 1/2	1 1/4	1 3/4	1/2	1/2	—	11.14
12J140TB	2517	14.00	5C	4 3/4	13 1/8	1 1/4	1 3/4	9/16	1/2	—	12.85
12J160TB	2517	15.80	5C	4 3/4	14 7/8	1 1/4	1 3/4	9/16	1/2	—	15.00




1S




4




3B



5A




5B




5C


PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt lbs
16J18S	—	1.77	1S	19/16	—	1 11/16	17/8	—	1/4	—	0.39
16J20S	—	2.00	1S	13/4	—	1 11/16	17/8	—	1/4	—	0.45
16J22S	—	2.24	1S	2	—	1 11/16	17/8	—	1/4	—	0.56
16J25TB	1108	2.50	4	—	17/8	1 11/16	7/8	—	13/32	13/32	0.86
16J28TB	1210	2.80	4	—	2 1/4	1 11/16	1	—	11/32	11/32	1.07
16J30TB	1210	3.00	4	—	23/8	1 11/16	1	—	11/32	11/32	1.33
16J31TB	1210	3.15	4	—	2 1/2	1 11/16	1	—	11/32	11/32	0.51
16J33TB	1210	3.35	4	—	23/4	1 11/16	1	—	11/32	11/32	1.86
16J35TB	1610	3.55	4	—	3	1 11/16	1	—	11/32	11/32	2.11
16J37TB	1610	3.75	4	—	3 1/8	1 11/16	1	—	11/32	11/32	2.14
16J40TB	1610	4.00	4	—	33/8	1 11/16	1	—	11/32	11/32	2.14
16J42TB	1610	4.20	4	—	3 1/2	1 11/16	1	—	11/32	11/32	2.78
16J44TB	2012	4.40	3B	—	33/4	1 11/16	1 1/4	—	—	7/6	3.21
16J46TB	2012	4.65	3B	—	4	1 11/16	1 1/4	—	—	7/6	3.85
16J50TB	2012	5.00	3B	—	4 1/4	1 11/16	1 1/4	—	—	7/6	4.28
16J52TB	2012	5.20	3B	—	4 1/2	1 11/16	1 1/4	—	—	7/6	4.93
16J55TB	2012	5.50	3B	—	5	1 11/16	1 1/4	—	—	7/6	5.56
16J63TB	2012	6.30	3B	—	59/16	1 11/16	1 1/4	—	—	7/6	7.49
16J71TB	2517	7.10	5A	43/4	6 1/2	1 11/16	13/4	1/2	1/16	—	9.42
16J80TB	2517	8.00	5A	43/4	7 1/4	1 11/16	13/4	1/2	1/16	—	10.27
16J88TB	2517	8.80	5A	43/4	7 1/8	1 11/16	13/4	1/2	1/16	—	10.61
16J106TB	2517	10.60	5A	43/4	9 1/4	1 11/16	13/4	1/2	1/16	—	10.92
16J110TB	2517	11.00	5B	43/4	103/8	1 11/16	13/4	1/2	1/16	—	11.35
16J124TB	2517	12.40	5B	43/4	11 1/2	1 11/16	13/4	1/2	1/16	—	12.85
16J140TB	2517	14.00	5C	43/4	13 1/8	1 11/16	13/4	9/16	1/16	—	15.20
16J160TB	2517	15.80	5C	43/4	147/8	1 11/16	13/4	9/16	1/16	—	18.63




1S




3B




4



7A




7B




7C


PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
20J18S	—	1.77	1S	19/16	—	2	25/16	—	5/16	—	0.43
20J20S	—	2.00	1S	1 3/4	—	2	25/16	—	5/16	—	0.56
20J22S	—	2.24	1S	2	—	2	25/16	—	5/16	—	0.71
20J25S	—	2.50	1S	2 3/16	—	2	25/16	—	5/16	—	0.88
20J28TB	1210	2.80	4	—	2 1/4	2	1	—	1/2	1/2	1.35
20J30TB	1210	3.00	4	—	2 3/8	2	1	—	1/2	1/2	1.52
20J31TB	1210	3.15	4	—	2 1/2	2	1	—	1/2	1/2	1.78
20J33TB	1210	3.35	4	—	2 3/4	2	1	—	1/2	1/2	2.14
20J35TB	1210	3.55	4	—	3	2	1	—	1/2	1/2	2.36
20J37TB	1610	3.75	4	—	3 1/8	2	1	—	1/2	1/2	2.78
20J40TB	1610	4.00	4	—	3 3/8	2	1	—	1/2	1/2	3.22
20J42TB	1610	4.20	4	—	3 1/2	2	1	—	1/2	1/2	3.64
20J44TB	2012	4.40	4	—	3 3/4	2	1 1/4	—	3/8	3/8	4.07
20J46TB	2012	4.65	4	—	4	2	1 1/4	—	3/8	3/8	4.50
20J50TB	2517	5.00	3B	—	4 1/4	2	1 3/4	—	—	1/4	5.78
20J52TB	2517	5.20	3B	—	4 1/2	2	1 3/4	—	—	1/4	6.85
20J55TB	2517	5.50	3B	—	5	2	1 3/4	—	—	1/4	9.85
20J63TB	2517	6.30	3B	—	5 9/16	2	1 3/4	—	—	1/4	10.70
20J71TB	2517	7.10	3B	—	6 1/2	2	1 3/4	—	—	1/4	11.56
20J80TB	2517	8.00	7A	4 3/4	7 1/4	2	1 3/4	1/2	—	1/4	15.42
20J88TB	3020	8.80	7A	5 3/4	8 1/8	2	2	1/2	—	0	16.71
20J100TB	3020	10.60	7A	5 3/4	9 1/4	2	2	1/2	—	0	17.77
20J110TB	3020	11.00	7B	5 3/4	10 3/8	2	2	1/2	—	0	20.35
20J124TB	3020	12.40	7B	5 3/4	11 1/2	2	2	1/2	—	0	24.44
20J140TB	3020	14.00	7C	5 3/4	13 1/8	2	2	5/8	—	0	28.27
20J160TB	3020	15.80	7C	5 3/4	14 7/8	2	2	5/8	—	0	32.76




3A




3B



7A



5B




5C




PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
5L31TB	1210	3.15	3A	—	25/16	19/16	1	—	—	9/16	1.62
5L33TB	1210	3.35	3A	—	25/16	19/16	1	—	—	9/16	1.88
5L35TB	1610	3.55	3A	—	25/8	19/16	1	—	—	9/16	2.02
5L37TB	1610	3.75	3A	—	23/4	19/16	1	—	—	9/16	2.46
5L40TB	1610	4.00	3A	—	23/4	19/16	1	—	—	9/16	2.66
5L42TB	1610	4.20	3B	—	27/8	19/16	1	—	—	9/16	3.06
5L44TB	1610	4.40	3B	—	31/8	19/16	1	—	—	9/16	3.58
5L46TB	1610	4.65	3B	—	31/2	19/16	1	—	—	9/16	4.03
5L50TB	1610	5.00	3B	—	31/2	19/16	1	—	—	9/16	4.58
5L52TB	2012	5.20	3B	—	41/8	19/16	1 1/4	—	—	5/16	6.32
5L55TB	2012	5.50	3B	—	43/8	19/16	1 1/4	—	—	5/16	8.07
5L63TB	2012	6.30	3B	—	5	19/16	1 1/4	—	—	5/16	8.60
5L71TB	2012	7.10	3B	—	53/4	19/16	1 1/4	—	—	5/16	8.85
5L80TB	2012	8.00	7A	41/8	61/2	19/16	1 1/4	1/2	—	5/16	9.01
5L88TB	2012	8.80	7A	41/8	71/2	19/16	1 1/4	1/2	—	5/16	11.48
5L106TB	2012	10.60	7A	41/8	81/2	19/16	1 1/4	1/2	—	5/16	12.59
5L110TB	2517	11.00	5B	43/4	93/4	19/16	1 3/4	1/2	3/16	—	14.88
5L124TB	2517	12.40	5B	43/4	107/8	19/16	1 3/4	9/16	3/16	—	17.17
5L140TB	3020	14.00	5C	53/4	121/2	19/16	2	9/16	7/16	—	22.48
5L160TB	3020	15.80	5C	53/4	141/4	19/16	2	9/16	7/16	—	24.83


Bushing	Stock Bores																											
	9/16	5/8	11/16	3/4	13/16	7/8	15/16	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2	2 1/4	2 3/8	2 1/2	2 3/4	3							
1310	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
1610	●	●	●	●	●	●	●	●	●	●	●	●	●	△	●	●	●	●	●	●	●							
2012			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
2517					●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
3020								●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●




3A




3B



7A



5B



5C

PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
6L31TB	1210	3.15	3A	—	25/16	111/16	1	—	—	11/16	1.78
6L33TB	1210	3.35	3A	—	25/16	111/16	1	—	—	11/16	2.03
6L35TB	1610	3.55	3A	—	25/8	111/16	1	—	—	11/16	2.18
6L37TB	1610	3.75	3A	—	23/4	111/16	1	—	—	11/16	2.74
6L40TB	1610	4.00	3A	—	23/4	111/16	1	—	—	11/16	2.87
6L42TB	1610	4.20	3B	—	27/8	111/16	1	—	—	11/16	3.55
6L44TB	1610	4.40	3B	—	31/8	111/16	1	—	—	11/16	4.06
6L46TB	1610	4.65	3B	—	31/2	111/16	1	—	—	11/16	4.52
6L50TB	1610	5.00	3B	—	31/2	111/16	1	—	—	11/16	4.84
6L52TB	2012	5.20	3B	—	41/8	111/16	11/4	—	—	7/16	6.70
6L55TB	2012	5.50	3B	—	43/8	111/16	11/4	—	—	7/16	7.82
6L63TB	2012	6.30	3B	—	5	111/16	11/4	—	—	7/16	9.02
6L71TB	2012	7.10	3B	—	53/4	111/16	11/4	—	—	7/16	9.25
6L80TB	2012	8.00	7A	41/8	61/2	111/16	11/4	9/16	—	7/16	9.44
6L88TB	2012	8.80	7A	41/8	71/2	111/16	11/4	9/16	—	7/16	12.10
6L106TB	2012	10.60	7A	41/8	81/2	111/16	11/4	9/16	—	7/16	13.16
6L110TB	2517	11.00	5B	43/4	93/4	111/16	13/4	9/16	1/16	—	16.48
6L124TB	2517	12.40	5B	43/4	107/8	111/16	13/4	5/8	1/16	—	17.86
6L140TB	3020	14.00	5C	53/4	121/2	111/16	2	5/8	5/16	—	22.61
6L160TB	3020	15.80	5C	53/4	141/4	111/16	2	5/8	5/16	—	25.69



Bushing	Stock Bores																									
	9/16	5/8	11/16	3/4	13/16	7/8	15/16	1	11/8	13/16	11/4	13/8	11/2	19/16	15/8	13/4	17/8	2	21/4	23/8	21/2	23/4	3			
1310	●	●	●	●	●	●	●	●	●	●	●	●														
1610	●	●	●	●	●	●	●	●	●	●	●	●	●	△												
2012			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●								
2517					●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						
3020								●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

**M^{ulti}
-W^{edged}**

Pulleys





L8

Poly-V sheaves



3A

3B




4

7A

5B

5C

PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	kg
8L30TB	1108	3.05	3A	—	17/8	21/16	7/8	—	—	13/16	1.37
8L31TB	1210	3.15	3A	—	25/16	21/16	1	—	—	11/16	1.44
8L33TB	1210	3.35	3A	—	25/16	21/16	1	—	—	11/16	1.65
8L35TB	1610	3.55	3A	—	25/8	21/16	1	—	—	11/16	2.14
8L37TB	1610	3.75	3A	—	23/4	21/16	1	—	—	11/16	2.78
8L40TB	1610	4.00	3A	—	23/4	21/16	1	—	—	11/16	2.36
8L42TB	1610	4.20	4	—	27/8	21/16	1	—	17/32	17/32	2.57
8L44TB	2012	4.40	4	—	31/8	21/16	1 1/4	—	13/32	13/32	2.57
8L46TB	2012	4.65	4	—	31/2	21/16	1 1/4	—	13/32	13/32	3.26
8L50TB	2012	5.00	4	—	31/2	21/16	1 1/4	—	13/32	13/32	3.85
8L52TB	2012	5.20	4	—	41/8	21/16	1 1/4	—	13/32	13/32	4.29
8L55TB	2012	5.50	4	—	43/8	21/16	1 1/4	—	13/32	13/32	5.35
8L63TB	2012	6.30	4	—	5	21/16	1 1/4	—	13/32	13/32	6.21
8L71TB	2517	7.10	3B	—	53/4	21/16	13/4	—	—	5/16	8.78
8L80TB	2517	8.00	3B	—	61/2	21/16	13/4	—	—	5/16	10.06
8L88TB	2517	8.80	7A	43/4	71/2	21/16	13/4	1/2	—	5/16	10.93
8L106TB	2517	10.60	7A	43/4	81/2	21/16	13/4	1/2	—	5/16	13.92
8L110TB	3020	11.00	7B	53/4	93/4	21/16	2	9/16	1/16	—	14.15
8L124TB	3020	12.40	7B	53/4	107/8	21/16	2	9/16	1/16	—	14.65
8L140TB	3020	14.00	7C	53/4	121/2	21/16	2	9/16	1/16	—	17.13
8L160TB	3525	15.80	5C	65/8	141/4	21/16	2 1/2	5/8	7/16	—	19.70
8L180TB	3525	17.80	5C	65/8	161/8	21/16	2 1/2	13/16	7/16	—	26.98
8L200TB	4030	19.80	5C	81/2	181/8	21/16	3	13/16	15/16	—	27.84
8L220TB	4030	22.00	5C	81/2	201/2	21/16	3	13/16	15/16	—	34.26
8L250TB	4030	24.80	5C	81/2	231/4	21/16	3	13/16	15/16	—	37.70









PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	kg
10L30TB	1108	3.05	3A	—	17/8	27/16	7/8	—	—	19/16	1.38
10L31TB	1210	3.15	3A	—	25/16	27/16	1	—	—	17/16	1.51
10L33TB	1210	3.35	3A	—	25/16	27/16	1	—	—	17/16	1.54
10L35TB	1615	3.55	3A	—	25/8	27/16	1 1/2	—	—	15/16	1.66
10L37TB	1615	3.75	3A	—	23/4	27/16	1 1/2	—	—	15/16	1.79
10L40TB	1615	4.00	3A	—	23/4	27/16	1 1/2	—	—	15/16	1.92
10L42TB	1615	4.20	4	—	27/8	27/16	1 1/2	—	15/32	15/32	2.15
10L44TB	2012	4.40	4	—	31/8	27/16	1 1/4	—	19/32	19/32	2.38
10L46TB	2012	4.65	4	—	31/2	27/16	1 1/4	—	19/32	19/32	2.58
10L50TB	2012	5.00	4	—	31/2	27/16	1 1/4	—	19/32	19/32	2.25
10L52TB	2012	5.20	4	—	41/8	27/16	1 1/4	—	19/32	19/32	3.18
10L55TB	2012	5.50	4	—	43/8	27/16	1 1/4	—	19/32	19/32	3.95
10L63TB	2012	6.30	4	—	5	27/16	1 1/4	—	19/32	19/32	4.84
10L71TB	2517	7.10	3B	—	53/4	27/16	1 3/4	—	—	11/16	6.95
10L80TB	2517	8.00	3B	—	61/2	27/16	1 3/4	—	—	11/16	9.22
10L88TB	2517	8.80	7A	43/4	71/2	27/16	1 3/4	1/2	—	11/16	7.16
10L106TB	2517	10.60	7A	43/4	81/2	27/16	1 3/4	1/2	—	11/16	7.75
10L110TB	3020	11.00	7B	53/4	93/4	27/16	2	9/16	—	7/16	9.8
10L124TB	3020	12.40	7B	53/4	107/8	27/16	2	9/16	—	7/16	11.7
10L140TB	3020	14.00	7C	53/4	121/2	27/16	2	5/8	—	7/16	15.2
10L160TB	3525	15.80	5C	65/8	141/4	27/16	2 1/2	5/8	1/16	—	16.3
10L180TB	3525	17.80	5C	65/8	161/8	27/16	2 1/2	13/16	1/16	—	21.5
10L200TB	4030	19.80	5C	81/2	181/8	27/16	3	13/16	9/16	—	25.8
10L220TB	4030	22.00	5C	81/2	201/2	27/16	3	7/8	9/16	—	28.8
10L250TB	4030	24.80	5C	81/2	231/4	27/16	3	7/8	9/16	—	32.9

M^{ulti}-W^{edged}







Pulleys

L12



Poly-V sheaves




PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
12L30TB	1108	3.05	3A	—	17/8	23/4	7/8	—	—	17/8	2.14
12L31TB	1310	3.15	3A	—	25/16	23/4	1	—	—	13/4	2.46
12L33TB	1310	3.35	3A	—	25/16	23/4	1	—	—	13/4	2.53
12L35TB	1615	3.55	3A	—	25/8	23/4	1 1/2	—	—	1 1/4	2.78
12L37TB	1615	3.75	3A	—	23/4	23/4	1 1/2	—	—	1 1/4	3.32
12L40TB	1615	4.00	3A	—	23/4	23/4	1 1/2	—	—	1 1/4	3.00
12L42TB	1615	4.20	3A	—	27/8	23/4	1 1/2	—	—	1 1/4	3.86
12L44TB	2012	4.40	4	—	3 1/8	23/4	1 1/4	—	3/4	3/4	4.43
12L46TB	2012	4.65	4	—	3 1/2	23/4	1 1/4	—	3/4	3/4	4.93
12L50TB	2012	5.00	4	—	3 1/2	23/4	1 1/4	—	3/4	3/4	5.35
12L52TB	2517	5.20	4	—	4 1/8	23/4	1 3/4	—	1/2	1/2	6.00
12L55TB	2517	5.50	4	—	4 3/8	23/4	1 3/4	—	1/2	1/2	7.28
12L63TB	2517	6.30	4	—	5	23/4	1 3/4	—	1/2	1/2	10.50
12L71TB	2517	7.10	4	—	5 3/4	23/4	1 3/4	—	1/2	1/2	13.27
12L80TB	2517	8.00	4	—	6 1/2	23/4	1 3/4	—	1/2	1/2	13.92
12L88TB	3030	8.80	5A	5	7 1/2	23/4	3	9/16	1/4	—	16.06
12L106TB	3030	10.60	5A	5	8 1/2	23/4	3	9/16	1/4	—	17.14
12L110TB	3030	11.00	5B	5 3/4	9 3/4	23/4	3	5/8	1/4	—	18.85
12L124TB	3030	12.40	5B	5 3/4	10 7/8	23/4	3	5/8	1/4	—	23.12
12L140TB	3535	14.00	5C	6 5/8	12 1/2	23/4	3 1/2	13/16	3/4	—	27.20
12L160TB	3535	15.80	5C	6 5/8	14 1/4	23/4	3 1/2	13/16	3/4	—	28.47
12L180TB	3535	17.80	5C	6 5/8	16 1/8	23/4	3 1/2	7/8	3/4	—	40.68
12L200TB	4030	19.80	5C	8 1/2	18 1/8	23/4	3	7/8	1/4	—	42.83
12L220TB	4030	22.00	5C	8 1/2	20 1/2	23/4	3	1	1/4	—	53.53
12L250TB	4030	24.80	5C	8 1/2	23 1/4	23/4	3	1	1/4	—	64.25




PART NO.	Bushing	O.D.	TYPE	N	J	F	L	E	S1	S2	kg
16L33TB	1615	3.35	4	—	25/8	31/2	11/2	—	1	1	2.57
16L35TB	1615	3.55	4	—	25/8	31/2	11/2	—	1	1	3.42
16L37TB	1615	3.75	4	—	23/4	31/2	11/2	—	1	1	3.64
16L40TB	1615	4.00	4	—	23/4	31/2	11/2	—	1	1	3.85
16L42TB	1615	4.20	4	—	27/8	31/2	11/2	—	1	1	4.93
16L44TB	2012	4.40	4	—	31/8	31/2	11/4	—	11/8	11/8	5.35
16L46TB	2012	4.65	4	—	31/2	31/2	11/4	—	11/8	11/8	5.56
16L50TB	2012	5.00	4	—	31/2	31/2	11/4	—	11/8	11/8	6.00
16L52TB	2517	5.20	4	—	41/8	31/2	13/4	—	7/8	7/8	6.85
16L55TB	2517	5.50	4	—	43/8	31/2	13/4	—	7/8	7/8	7.78
16L63TB	2517	6.30	4	—	5	31/2	13/4	—	7/8	7/8	11.78
16L71TB	2517	7.10	4	—	53/4	31/2	13/4	—	7/8	7/8	15.85
16L80TB	2517	8.00	4	—	61/2	31/2	13/4	—	7/8	7/8	20.12
16L88TB	3030	8.80	7B	53/4	71/2	31/2	3	13/16	1/2	—	22.91
16L106TB	3030	10.60	7B	53/4	81/2	31/2	3	13/16	1/2	—	25.60
16L110TB	3030	11.00	7B	53/4	93/4	31/2	3	7/8	1/2	—	26.12
16L124TB	3535	12.40	7B	65/8	107/8	31/2	31/2	7/8	0	0	29.55
16L140TB	3535	14.00	7C	65/8	121/2	31/2	31/2	1	0	0	35.80
16L160TB	3535	15.80	7C	65/8	141/4	31/2	31/2	1	0	0	41.11
16L180TB	4040	17.80	5C	81/2	161/8	31/2	4	1	1/2	—	47.11
16L200TB	4040	19.80	5C	81/2	181/8	31/2	4	11/8	1/2	—	60.38
16L220TB	4040	22.00	5C	81/2	201/2	31/2	4	11/8	1/2	—	66.30
16L250TB	4040	24.80	5C	81/2	231/4	31/2	4	11/8	1/2	—	75.68



7A







7B




7C


PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
20L52TB	2517	5.20	4	—	4 1/8	4 1/4	1 3/4	—	1 1/4	1 1/4	8.56
20L55TB	2517	5.50	4	—	4 3/8	4 1/4	1 3/4	—	1 1/4	1 1/4	9.42
20L63TB	2517	6.30	4	—	5	4 1/4	1 3/4	—	1 1/4	1 1/4	12.41
20L71TB	2517	7.10	4	—	5 3/4	4 1/4	1 3/4	—	1 1/4	1 1/4	17.13
20L80TB	3030	8.00	4	—	6 1/2	4 1/4	3	—	1 1/4	1 1/4	23.55
20L88TB	3030	8.80	7A	5 3/4	7 1/2	4 1/4	3	13/16	5/8	5/8	32.98
20L106TB	3030	10.60	7A	5 3/4	8 1/2	4 1/4	3	13/16	5/8	5/8	44.96
20L110TB	3535	11.00	7B	6 5/8	9 3/4	4 1/4	3 1/2	7/8	—	3/4	48.80
20L124TB	3535	12.40	7B	6 5/8	10 7/8	4 1/4	3 1/2	7/8	—	3/4	54.82
20L140TB	3535	14.00	7C	6 5/8	12 1/2	4 1/4	3 1/2	1 1/8	—	3/4	60.38
20L160TB	4040	15.80	7C	8 1/2	14 1/4	4 1/4	4	1 1/8	—	1/4	63.81
20L180TB	4040	17.80	7C	8 1/2	16 1/8	4 1/4	4	13/16	—	1/4	76.23
20L200TB	4040	19.80	7C	8 1/2	18 1/8	4 1/4	4	13/16	—	1/4	80.50
20L220TB	4040	22.00	7C	8 1/2	20 1/2	4 1/4	4	13/16	—	1/4	100.60
20L250TB	4040	24.80	7C	8 1/2	23 1/4	4 1/4	4	13/16	—	1/4	113.50




PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
6M71TB	2517	7.10	4	—	51/8	215/16	13/4	—	19/32	19/32	14.56
6M75TB	2517	7.50	4	—	51/2	215/16	13/4	—	19/32	19/32	15.85
6M80TB	3020	8.00	4	—	65/16	215/16	2	—	15/32	15/32	16.27
6M84TB	3020	8.40	4	—	611/16	215/16	2	—	15/32	15/32	16.92
6M88TB	3020	8.80	4	—	71/8	215/16	2	—	15/32	15/32	17.98
6M106TB	3020	10.60	7A	53/4	81/16	215/16	2	7/8	15/32	15/32	19.28
6M110TB	3020	11.00	7A	53/4	9	215/16	2	7/8	15/32	15/32	21.41
6M124TB	3535	12.40	5B	65/8	103/4	215/16	31/2	1	9/16	—	25.27
6M140TB	3535	14.00	5B	65/8	12	215/16	31/2	1	9/16	—	37.68
6M160TB	4040	15.80	5C	81/2	133/4	215/16	4	11/8	11/16	—	43.25
6M180TB	4040	17.80	5C	81/2	153/4	215/16	4	13/16	11/16	—	49.46
6M200TB	4040	19.80	5C	81/2	173/4	215/16	4	13/16	11/16	—	55.45
6M220TB	4040	22.00	5C	81/2	20	215/16	4	13/16	11/16	—	62.75
6M250TB	4040	24.80	5C	81/2	26	215/16	4	13/16	11/16	—	94.22




4




7A



7B




7C



5C


PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	wt Lbs
10M71TB	3030	7.10	4	—	5 1/8	47/16	3	—	23/32	23/32	19.28
10M75TB	3030	7.50	4	—	5 1/2	47/16	3	—	23/32	23/32	22.48
10M80TB	3030	8.00	4	—	6	47/16	3	—	23/32	23/32	23.55
10M84TB	3535	8.40	4	—	6 1/2	47/16	3 1/2	—	15/32	15/32	34.48
10M88TB	3535	8.80	4	—	7	47/16	3 1/2	—	15/32	15/32	36.62
10M106TB	3535	10.60	4	—	8	47/16	3 1/2	—	15/32	15/32	40.68
10M110TB	3535	11.00	7A	65/8	9 1/8	47/16	3 1/2	1 1/8	15/32	15/32	45.60
10M124TB	3535	12.40	7B	65/8	10 1/2	47/16	3 1/2	1 1/8	15/32	15/32	55.67
10M140TB	4040	14.00	7B	8 1/2	12	47/16	4	1 1/8	—	7/16	62.51
10M160TB	4040	15.80	7C	8 1/2	13 3/4	47/16	4	1 3/8	—	7/16	70.45
10M180TB	4040	17.80	7C	8 1/2	15 3/4	47/16	4	1 3/8	—	7/16	79.44
10M200TB	4040	19.80	7C	8 1/2	17 3/4	47/16	4	1 3/8	—	7/16	88.00
10M220TB	4545	22.00	5C	10	20	47/16	4 1/2	1 9/16	1/16	—	119.90
10M250TB	4545	24.80	5C	10	22 7/8	47/16	4 1/2	1 9/16	1/16	—	134.90
10M280TB	4545	28.00	5C	10	26	47/16	4 1/2	1 9/16	1/16	—	152.00



PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	kg
16M71TB	3030	7.10	4	—	5 ¹ / ₈	6 ⁵ / ₈	3	—	1 ¹³ / ₁₆	1 ¹³ / ₁₆	19.27
16M75TB	3030	7.50	4	—	5 ¹ / ₂	6 ⁵ / ₈	3	—	1 ¹³ / ₁₆	1 ¹³ / ₁₆	21.84
16M80TB	3535	8.00	4	—	6	6 ⁵ / ₈	3 ¹ / ₂	—	1 ⁹ / ₁₆	1 ⁹ / ₁₆	27.83
16M84TB	3535	8.40	4	—	6 ¹ / ₂	6 ⁵ / ₈	3 ¹ / ₂	—	1 ⁹ / ₁₆	1 ⁹ / ₁₆	35.98
16M88TB	3535	8.80	4	—	7	6 ⁵ / ₈	3 ¹ / ₂	—	1 ⁹ / ₁₆	1 ⁹ / ₁₆	38.11
16M106TB	3535	10.60	4	—	7 ¹ / ₂	6 ⁵ / ₈	3 ¹ / ₂	—	1 ⁹ / ₁₆	1 ⁹ / ₁₆	53.53
16M110TB	3535	11.00	4	—	9 ¹ / ₈	6 ⁵ / ₈	3 ¹ / ₂	—	1 ⁹ / ₁₆	1 ⁹ / ₁₆	69.38
16M124TB	4040	12.40	4	—	10 ¹ / ₂	6 ⁵ / ₈	4	—	1 ⁵ / ₁₆	1 ⁵ / ₁₆	91.22
16M140TB	4040	14.00	7B	8 ¹ / ₂	12	6 ⁵ / ₈	4	1 ³ / ₈	1 ⁵ / ₁₆	1 ⁵ / ₁₆	100.60
16M160TB	4040	15.80	7B	8 ¹ / ₂	13 ³ / ₄	6 ⁵ / ₈	4	1 ³ / ₈	1 ⁵ / ₁₆	1 ⁵ / ₁₆	110.40
16M180TB	4040	17.80	7C	8 ¹ / ₂	15 ³ / ₄	6 ⁵ / ₈	4	1 ³ / ₄	1 ⁵ / ₁₆	1 ⁵ / ₁₆	121.00
16M200TB	4040	19.80	7C	8 ¹ / ₂	17 ³ / ₄	6 ⁵ / ₈	4	2 ³ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	133.40
16M220TB	4545	22.00	7C	10	20	6 ⁵ / ₈	4 ¹ / ₂	2 ³ / ₁₆	1 ¹ / ₁₆	1 ¹ / ₁₆	154.18
16M250TB	4545	24.80	7C	10	23 ⁷ / ₈	6 ⁵ / ₈	4 ¹ / ₂	2 ³ / ₈	1 ¹ / ₁₆	1 ¹ / ₁₆	173.40
16M280TB	4545	28.00	7C	10	26	6 ⁵ / ₈	4 ¹ / ₂	2 ³ / ₈	1 ¹ / ₁₆	1 ¹ / ₁₆	195.50

Standard bore dimensions of BTL bushings

Bushing	Stock Bores																			
	1	1 ¹ / ₈	1 ³ / ₁₆	1 ¹ / ₄	1 ⁷ / ₁₆	1 ¹ / ₂	1 ¹¹ / ₁₆	1 ⁵ / ₈	1 ³ / ₄	1 ¹⁵ / ₁₆	2	2 ¹ / ₄	2 ³ / ₈	2 ¹ / ₂	2 ³ / ₄	3	3 ¹ / ₄	3 ³ / ₈	3 ¹ / ₂	3 ³ / ₄
3030	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●					
3535					●	●	●	●	●	●	●	●	●	●	●	●	●	●		
4040							●	●	●	●	●	●	●	●	●	●	●	●	●	
4545												●	●	●	●	●	●	●	●	●



PART NO.	Bushing	O.D	TYPE	N	J	F	L	E	S1	S2	kg
20M71TB	3030	7.10	4		51/8	81/16	3		217/32	217/32	21.84
20M75TB	3030	7.50	4		51/2	81/16	3		217/32	217/32	24.62
20M80TB	3535	8.00	4		6	81/16	31/2		29/32	29/32	27.82
20M84TB	3535	8.40	4		61/2	81/16	31/2		29/32	29/32	33.20
20M88TB	3535	8.80	4		7	81/16	31/2		29/32	29/32	42.18
20M106TB	3535	10.60	4		71/2	81/16	31/2		29/32	29/32	61.24
20M110TB	3535	11.00	4		91/8	81/16	31/2		29/32	29/32	84.88
20M124TB	4040	12.40	4		101/2	81/16	4		21/32	21/32	89.90
20M160TB	4040	15.80	7B	81/2	133/4	81/16	4	19/16	21/32	21/32	122.50
20M180TB	4040	17.80	7C	81/2	153/4	81/16	4	2	21/32	21/32	125.90
20M200TB	4545	19.80	7C	10	173/4	81/16	41/2	23/8	125/32	125/32	139.60
20M220TB	4545	22.00	7C	10	20	81/16	41/2	23/8	125/32	125/32	156.30
20M250TB	4545	24.80	7C	10	207/8	81/16	41/2	29/16	125/32	125/32	175.50
20M280TB	5050	28.00	7C	101/2	26	81/16	5	29/16	117/32	117/32	210.70

Standard bore dimensions of BTL bushings

Bushing	Stock Bores																									
	1	1 1/8	1 3/16	1 1/4	1 7/16	1 1/2	1 11/16	1 5/8	1 3/4	1 15/16	2	2 1/4	2 3/8	2 1/2	2 3/4	3	3 1/4	3 3/8	3 1/2	3 3/4	4	4 1/4	4 3/8	4 1/2	4 3/4	5
3030	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●											
3535					●	●	●	●	●	●	●	●	●	●	●	●	●	●								
4040							●	●	●	●	●	●	●	●	●	●	●	●	●	●	●					
4545												●	●	●	●	●	●	●	●	●	●	●	●			
5050													●	●	●	●	●	●	●	●	●	●	●	●	●	●